





# Dundalk Leisurecraft Economy Shower Hardware



### Contents

- A - Shower Head
- B - Shower Pole
- C - Handle Assembly
- D - Shower Supports
- E – Hardware
- F- Threaded Support Flanges

### Requirements

- Thread tape
- Small level
- Measuring tape
- Drill and drill bit
- Adjustable wrench or crescent wrench

### Before You Begin!

Rubber washers go in each connection, ensure they do not fall out in assembly.  
Use plumbers thread tape for connections where needed.

*\*Ensure to drain the shower completely in cold temperatures to prevent water from freezing inside hardware causing irreparable damage.*



# Dundalk Leisurecraft Economy Shower Hardware

(Fig.1)



Start the assembly of your economy shower hardware kit by unscrewing the threaded caps on the top of the shower supports.  
*(Fig. 1)*

Slide the shower supports onto the shower pole.



Tighten the supports at approximately 6" (15cm) and 30" (76cm) from the bottom end of the shower pole by turning the threaded caps back in.  
*(Fig. 2)*

(Fig.3)



Place the shower assembly where you would like it to go. Mark the location of the shower supports  
*(Fig. 3)*

Once you have your marks, screw the threaded support flange to the shower.



# Dundalk Leisurecraft Economy Shower Hardware



(Fig.4)

Measure 24" (60cm) from the bottom support flange and mark with a pencil.

Ensure top support flange is level with the bottom and screw into place with the provided screws.

(Fig.4)



Thread the handle assembly (C) onto the shower pole (B).

Tighten with a wrench.



Measure the distance from the bottom support flange to the hose hook up on the handle and drill a hole in the shower large enough for your plumbing to go through to attach to the handle assembly.

# Dundalk Leisurecraft Economy Shower Hardware



Thread the shower supports onto the flanges.  
  
(if they don't line up perfectly, you can loosen the top cap and move accordingly)  
  
Repeat for the top support.



Place the swivel pivot connector into the shower head and tighten up the nut with a wrench.



Tighten the shower head onto the shower Pole.  
  
Hook up your water and enjoy your Shower!