



Requirements:

Adjustable Wrench
Pipe Wrench
Thread Tape
Cordless Drill
Phillips & Robertson Driver Bits



To start the installation of the cold plunge chiller, wrap 3 layers of thread tape around the threads on both ends of the short pipe.



Repeat the process for the longer piece of pipe.



Thread the short piece of pipe into the drain hole from the bottom of the cold plunge tub. This can be hand tight only at this time.



Screw the 90° elbow onto the short pipe. Ensure it is tight and facing the hole in the frame on the side of the tub.

Manufactured by:





Thread the long piece of pipe into the elbow. This can be hand tight only at this time.



Remove the valve from the plastic packaging and thread it onto the end of the long pipe.



Using a pipe wrench or adjustable wrench, tighten the valve. This will also tighten the long adapter into the elbow. Have the handle of the valve facing in your desired position when tight.



Wrap 3 layers of thread tape around the threads on the garden hose connector.

Manufactured by:





Using a pipe wrench or adjustable wrench, tighten the garden hose connector onto the valve.



Remove the plugs from the holes in the side of the tub.



Wrap 3 layers of thread tape around both ends of the threads on the 2 remaining long pipes and thread them into the holes on the side of the tub. This only needs to be hand tight at this time.



Screw the quick connects onto the pipes. Tighten with a pipe wrench or adjustable wrench.

Manufactured by:





Remove the chiller and all components from the box.



Insert the filter into the holder and screw onto the chiller. Tighten with the provided filter tool.



Remove the covers on the inlet and outlet on the back of the chiller.



Install the inlet filter onto the inlet connection.








Thread the Filter guard over the inlet filter.



Insert rubber washers into each end of the chiller hoses.



Screw the chiller hoses onto the inlet and outlet connections, Ensure they are tight.



Connect the other ends of the chiller hoses to the tub. The hose from the outlet of the chiller will connect to the higher pipe of the tub and the hose from the inlet will connect to the lower pipe.

Manufactured by:

